

Volume 10 / Number 9 / September 2019

# Indian Journal of Public Health Research & Development

An International Journal

### SCOPUS IJPHRD CITATION SCORE

Indian Journal of Public Health Research and Development Scopus coverage years: from 2010 till present Publisher: R.K. Sharma, Institute of Medico-Legal Publications ISSN:0976-0245E-ISSN: 0976-5506 Subject area: Medicine: Public Health, Environmental and Occupational Health Cite Score 2017- 0.03

Cite Score 2017- 0.03 SJR 2017- 0.108 SNIP 2017- 0.047



Website: www.ijphrd.com

## Indian Journal of Public Health Research & Development

### **EXECUTIVE EDITOR**

### Vidya Surwade

Associate Professor, Dr Baba Saheb Ambedkar, Medical College & Hospital Rohinee, Delhi

### INTERNATIONAL EDITORIAL ADVISORY BOARD

- Dr Abdul Rashid Khan B. Md Jagar Din, Associate Professor, Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
- 2. Dr V Kumar. Consulting Physician. Mount View Hospital. Las Vegas. USA
- Basheer A. Al-Sum, Botany and Microbiology Deptt, College of Science, King Saud University, Riyadh, Saudi Arabia
- Dr Ch Vijay Kumar, Associate Professor, Public Health and Community Medicine, University of Buraimi, Oman
- Dr VMC Ramaswamy, Senior Lecturer, Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
- Kartavya J. Vyas, Clinical Researcher, Department of Deployment Health Research, Naval Health Research Center, San Diego, CA (USA)
- 7. Prof PK Pokharel, Community Medicine, BP Koirala Institute of Health Sciences, Nepal
- Sajjad Salim Issa AL-Musawi supervisor for student of the Arab board in family medicine
- Prof. Dr. Ayad F. Alkaim, Professor of surface chemistry and applications of nano-materials, Babylon University,Iraq
- **10. Prof. Dr. Imad Hadi Hameed,** Biomedical Science Department, College of Nursing, University of Babylon, Hillah city, Iraq
- Prof. Dr. Amean A Yasir, Department of Community, College of Nursing, University of Babylon, Hillah city, Iraq

### NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Sushanta Kumar Mishra, Community Medicine, GSL Medical College – Rajahmundry, Karnataka
- 2. Prof D.K.Srivastava, Medical Biochemistry, Jamia Hamdard Medical College, New Delhi
- Dr Sunil Mehra, Paediatrician & Executive Director, MAMTA Health Institute of Mother & Child, New Delhi
- **4. Prof M.Sriharibabu,** General Medicine, GSL Medical College, Rajahmundry, Andhra Pradesh
- **5. Prof Pankaj Datta,** Principal & Prosthodentist, Indraprastha Dental College ,Ghaziabad
- **6. Prof Samarendra Mahapatro,** Pediatrician, Hi-Tech Medical College, Bhubaneswar, Orissa
- Dr Abhiruchi Galhotra, Additional Professor, Community and Family Medicine,

All India Institute of Medical Sciences, Raipur

- Prof Deepti Pruthvi, Pathologist, SS Institute of Medical Sciences & Research Center. Davangere, Kamataka
- 9. **Prof G S Meena,** Director Professor, Maulana Azad Medical College, New Delhi
- Prof Pradeep Khanna, Community Medicine, Post Graduate Institute of Medical Sciences, Rohtak, Haryana
- **11. Dr Shailendra Handu,** Associate Professor, Phrma, DM (Pharma, PGI Chandigarh)
- Dr. A.C. Dhariwal, Directorate of National Vector Borne Disease Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of India, Delhi.

### NATIONAL SCIENTIFIC COMMITTEE

- Dr Anju Ade, Professor, Community Medicine Department, SVIMS, Sri Padamavati Medical College, Tirupati. Andhra Pradesh
- Dr. E. Venkata Rao, Associate Professor, Community Medicine, Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Orissa.

- Dr. Amit K. Singh, Associate Professor, Community Medicine, VCSG Govt. Medical College, Srinagar – Garhwal, Uttarakhand
- **4. Dr R G Viveki,** Prof n head, Dept of Community Medicine, BIMS Belgavi
- Dr. Santosh Kumar Mulage, Assistant Professor, Anatomy, Raichur Institute of Medical Sciences Raichur(RIMS), Karnataka
- Dr Gouri Ku. Padhy, Associate Professor, Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- 7. Dr Ritu Goyal, Associate Professor, Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
- Dr. Anand Kalaskar, Associate Professor, Microbiology Prathima Institute of Medical Sciences, AP
- Dr.Md.Amirul Hassan, Associate Professor, Community Medicine Government Medical College, Ambedkar nagar, UP
- 10. Dr.N.Girish, Associate Professor, Microbiology, VIMS&RC, Bangalore
- 11. Dr BR Hungund, Associate Professor Pathology, JNMC ,Belgaum.
- Dr Sartaj Ahmad, Associate Professor, Medical Sociology, Department of Community Medicine, Swami Vivekananda Subharti University, Meerut, Uttar Pradesh, India.
- Dr Manoj Kumar Tripathi, (Associate Professor), Political Science and public administration, Swami Vivekananda Subharti University, Meerut, Uttar Pradesh, India.
- **14. Dr Sumeeta Soni,** Associate Professor, Microbiology Department, B.J. Medical College, Ahmedabad Gujarat, India

Print ISSN: 0976-0245, Electronic ISSN: 0976-5506, Frequency: Quarterly (Four issue per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. The frequency is half yearly going to be quarterly by 2012. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN)Print ISSN: 0976-0245, Online ISSN: 0976-5506 and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare & Scopus database. The journal is now part of DST, CSIR, and UGC consortia.

### Website: www.ijphrd.com

© All rights reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efcacy of any product or service featured in the advertisement in the journal, which are purely commercial.

### Editor

Dr R K Sharma Institute of Medico-Legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mall Sector- 32, Noida - 201 301 (Uttar Pradesh)

### Printed, Published and Owned by

Institute of Medico-Legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mall Sector- 32, Noida - 201 301 (Uttar Pradesh)

### Published at

Institute of Medico-Legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mall Sector- 32, Noida - 201 301 (Uttar Pradesh)

28.	Efficacy of the Health Promotion Model-Based Intervention in Enhancing the Health Responsibility of Middle School Female Student: A Randomized Controlled Trial	
29.	Detection of Rotavirus Genotypes with Conventional PCR in a Group of Iraqi Children with Acute Viral Gastroenteritis	153
30.	Effect of Adding Medicinal Plant Extracts to The Broiler Diets on Productive Performance	159
31.	Structural Behavior Analysis of Building Environment Automation System in Pharmaceutical Industries Jacky Chin, Lin Shu-Chiang, Satria Fadil Persada, Ilma Mufidah, Choesnul Jaqin	164
32.	The Impact of Radiation on Total Thrombocyte of Hospital Radiology Workers in Kupang	170
33.	Importance of Collaborative Intervention of Preconception Nutrition in Suppressing the Stunting Case in East Nusa Tenggara, Indonesia	175
34.	Evaluation of Folic Acid Content in the Pregnant Women	180
35.	Isolation, Identification and Antibiotic Susceptibility Testing of Bacterial Pathogens Causing Seminal Fluid Infection in Human Males Admitted to the Infertility Centers in Najaf Province	
36.	Conjecture of TSP Concentration and PM.10 through Measurement Dust Fall (Study of Dust Dispersion from Special Roads for Coal Transport)	192
37.	Development of Cardiovascular Complications in True Polycythemiavera Patients Influenced by Increased Blood Viscosity	
38.	Determination of Safe Concentration of Benzene Exposure in Workers in a Laboratory of Oil Processing Industry in Indonesia	
39.	Functional Gastrointestinal Disorders in Pediatrics	207
40.	Saponin Maintaining and Dose Determining in Carica Papaya Leaf Cookies as a Breast Milk Booster (galactogogue)  Krisdiana Wijayanti, Hertanto W. Subagio, Martha Irene Kartasurya, Sri Achadi Nugraheni	212
41.	Factors Related to Competence in Prehospital Care	217
42.	Empowerment of Coastal Communities Through Systems Approach in the Field of Environmental Health in Kendari City, Southeast Sulawesi Province, Indonesia	223

## Conjecture of TSP Concentration and PM.10 through Measurement Dust Fall (Study of Dust Dispersion from Special Roads for Coal Transport)

### Junaidi<sup>1</sup>, Rahmawati<sup>1</sup>, Muhammad Pahruddin<sup>1</sup>, Agnes T Diana Nerawati<sup>2</sup>

<sup>1</sup>Department of Environmental Health, Health Polytechnic Ministry of Health Banjarmasin; <sup>2</sup>Department of Environmental Health, Health Polytechnic Ministry of Health Surabaya

### **ABSTRACT**

The naming of pollutants in the form of particles refers to their physical characteristics or relative size. Dustfall describes large particles that can settle (fall) because it is influenced by its gravitational force. TSP or dust are smaller particles that can float in the air and follow the movement of the wind. PM10 or PM2,5 are very small particles (equivalent diameter of 10 microns and 2.5 microns) that can enter the human respiratory tract. The existence of these particles is interrelated because they originate from the same source, which is a solid which is mechanically destroyed. Because it comes from the same source and process, the presence of one type of particle under natural conditions will also be followed by the presence of other particles. This makes it possible to estimate the existence of other particles by measuring one of the selected types of particles.

This study aims to obtain an estimation model of PM10 and TSP levels through the measurement of dustfall concentration. Dustfall, TSP and PM10 measurements were carried out simultaneously at one coal haul roadside location for 24 hours divided per hour in each measurement set, air temperature humidity measurement, and observation of coal transport volume were also carried out in each measurement set.

The results of the study show that; air temperatures ranged from  $26 - 35^{\circ}$ C and air humidity ranged from 42 - 76%, dustfall levels ranged from 676.95 - 4,041.14 tons/km². Month, TSP levels ranged from 153.2 - 9457.8 µg/m³ and levels PM10 ranges from 145.0 - 7,603.4 µg/m³. The particulate matter in the air has a positive correlation with air temperature and has a negative correlation with air humidity. The model of TSP relationship with PM10 was TSP = 0.077 + 1.251 (PM10), the relationship between dustfall and TSP was dustfall = 935,702 + 305,333 (TSP), the relationship between dustfall and PM10 was dustfall = 938,719 + 393,762 (PM10).

It was concluded that there was a relationship between dustfall with the levels of TSP and PM10 individually, and the estimation model PM10 and TSP by the dustfall was a dustfall filled with 60% by TSP and PM10 and TSP filled with 77.8% PM10.

Keywords: pollutants, dustfall, TSP, PM10

### **Corresponding Author:**

Junaidi

Health Polytechnic Ministry of Health Banjarmasin Email: jun aidi1204@yahoo.co.id

### Introduction


The naming of pollutants in the form of particles refers to their physical characteristics or relative size. Dust fall describes large particles that can settle (fall) because they are influenced by their gravitational force. TSP or dust are smaller particles that can float in the air and follow the movement of the wind. PM10 or PM2,5 are very small particles (equivalent diameter of 10 microns

and 2.5 microns) that can enter the human respiratory tract. The existence of these particles is interrelated because they originate from the same source, which is a solid which is mechanically destroyed. Because it comes from the same source and process, the presence of one type of particle under natural conditions will also be followed by the presence of other particles. This makes it possible to estimate the existence of other particles by measuring one of the selected types of particles.<sup>2</sup>

### Method

The coal transportation traffic disperses the Total Particles into ambient air in a certain amount. The total scattered particles consist of various sizes, ranging from large to small. In this study measurements were carried out on dustfall, TSP and PM10 simultaneously on one spot on the side of the road that was considered safe, which is 5 meters away on the edge of the coal haul road.

Measurements were carried out for 24 hours divided per hour of observation, besides that, measurements were also made on the air temperature, air humidity and the volume of traffic passing by coal. The measurement data are analyzed statistically and see the third particle fraction of the type of dust.



### **Results and Discussion**

The concentration of dust from direct measurements in the field is as follows:

Table 1: Concentration of dust fall, TSP and PM.10 at the Research Site

No.	Days to	Dust Fall (ton/km².bulan)	TSP ( $\mu$ g/m <sup>3</sup> )	PM. <sub>10</sub> (μg/m <sup>3</sup> )
1.	12.00 - 13.00	4.041,14	9.457,8	7.603,4
2.	13.00 - 14.00	3.972,35	8.336,5	6.826,7
3.	14.00 - 15.00	812,34	3.918,8	2.480,1
4.	15.00 - 16.00	2.663,72	4.152,6	3.468.3
5.	16.00 - 17.00	2.554,47	5.016,4	3.275,6
6.	17.00 - 18.00	1.188,05	869,0	716,0
7.	18.00 - 19.00	852,96	618,2	486,3
8.	19.00 - 20.00	1.218,51	788,2	584,0
9.	20.00 - 21.00	1.329,28	582,3	447,3
10.	21.00 – 22.00	1.396,21	362,0	298,6
11.	22.00 - 23.00	676,95	267,6	185,6
12.	23.00 - 00.00	888,80	356,1	280,5
13.	00.00 - 01.00	1.035,73	362,1	261,0
14.	01.00 - 02.00	1.090,25	311,5	245,8
15.	02.00 - 03.00	1.343,49	215,6	192,4
16.	03.00 - 04.00	893,57	153,2	145,0
17.	04.00 - 05.00	1.613,70	1.062,5	812,7
18.	05.00 - 06.00	1.462,21	838,9	566,1
19.	06.00 - 07.00	1.847,85	2.643,4	1.891,2
20.	07.00 - 08.00	1.399,99	3.465,8	3.092,6

### Conted...

21.	08.00 - 09.00	1.190,17	2.865,1	2.072,3
22.	09.00 - 10.00	1.787,15	2.783,6	2.129,4
23.	10.00 - 11.00	1.367,11	2.971,6	2.179,4
24.	11.00 – 12.00	2.172,13	1.120,7	1.076,2
	Average	1.616,59	2.229,98	1.721,5

**Description:** Quality standards According to PPRI No. 41 of 1999

Dust Fall: 20 tons/km<sup>2</sup>. Month

**TSP:** 230  $\mu$ g/m<sup>3</sup>

**PM10:**  $150 \mu g/m^3$ 

The concentration of dust fall in Total Suspended Particulate (TSP) and Particulate Matter 10 micron (PM.10) is very high and has exceeded the maximum quality standard set by PP 41 of 1999. The high concentration of the three dust parameters is caused by:

- The first factor, is the density or volume of coal transportation traffic, recorded the volume of coal truck traffic passing a total of 5,283 units or an average of 220 units per hour. The high level of dust around the road, especially the special road for coal transportation, corresponds to several previous studies, such as;<sup>3-4,7</sup>
- The second factor, is that the road conditions are less compact, so that when there is friction between the wheels of the vehicle and the road body and air turbulence due to vehicle speed (reaching 60 km/h) it triggers the dispersion of particles into the air around the road.
- The third factor, is air temperature and air humidity, these two factors are related to the nature of dust (Patty, 1976); During the day the air temperature can reach 35OC, with a low humidity of 42% and a correlation of air temperature with positive particle content, that is, the higher the air temperature the more the particle content, while the air humidity is negatively related, or the smaller the air humidity high particle content.

The percentage of PM10 from TSP ranges from 63.3% 96.0% with an average of 77.8% ( $\pm$  8.4%), while the dustfall content is filled by 60% of the concentration of TSP + PM10 obtained from the average measurement

results of dustfall in the field = 1,616.59 tons/km<sup>2</sup>. Month deducted by 970,638 tons/km<sup>2</sup>. Month (Dustfall constant = 970,638 - 414,735 (TSP) + 912,450 (PM10)), to 645.95 tons/km<sup>2</sup>. Month or 40%, it can be concluded that the remaining 60% of dustfall is TSP concentration and PM10.

### **Conclusions and Recommendations**

### **Conclusion:**

- Measured Particulate Matter 10 micron (PM10) concentration ranged from 145.0 7.603.4 μg/m³, Total Suspended Particulate (TSP) ranged from 153.2 9,457.8 μg/m³ and dust fall ranged from between 676.95 4,041.14 tons/km². month.
- The air temperature at the study site ranged from 26°C to 35°C and air humidity ranged from 42 -76%.
- 3. The model for estimating TSP and PM10 by dust fall is
  - a. PM10 and TSP fill 60% of dustfall
  - b. PM10 fills 77.8% of TSP

### **Recommendation:**

- 1. Determination of TSP and PM10 concentrations can be done by measuring the level of dustfall using a dustfall collector and the estimator using the model results of this study.
- Further research on PM2.5 dust fraction by PM10 and TSP, because these three particulate parameters have the same unit

Conflict of Interest: None

**Ethical Clearance:** From ethical committee at Health Polytechnic Ministry of Health Banjarmasin & Surabaya

Source of Funding: Self

### REFERENCES

- 1. As, Z.A. Analysis of PM2.5 Exposure to Settlements Around Coal Transport Roads (Case Study: Tapin District, South Kalimantan Province). Master of Thesis, ITB, Environmental Engineering, Bandung. 2010.
- Austin J., Brimblecombe P. and Sturges W. Air Pollution Science for the 21st Century [Book]. -UK: Elsevier, 2002.
- 3. Eastwood, P. Particulate Emissions from Vehicles. John Wiley & Sons Ltd. England. 2008.
- Holgate, S.M., J.M.Samet, H.S. Koren and R. Maynard. Air Pollution and Health. Academic Press. London. 1999.
- Junaidi. Study of Dust Concentration from Special Coal Transportation Roads and the Risks to

- Human Health and Rubber Plants (Study in Tapin Regency, South Kalimantan Province). Doctoral Program in Environmental Sciences Dissertation, Post-Graduate UB, Malang. 2016.
- Junaidi. Dust Distribution of Transport Corridors in Tapin Regency South Kalimantan. IOSR Journal of Environmental Science, Toxicology and Food Technology (IOSR-JESTFT) e-ISSN: 2319-2402, p- ISSN: 2319-2399. Volume 10, Issue 5 Ver. II (May. 2016), PP 47-52. 2016. Available from: www.iosrjournals.org.
- Phalen, R.P. Inhalation Studies, Foundations and Techniques, 2nd edition. Informa Healthcare. New York. 2009.