

Improving the Quality of Life of PLWHA through the Combined Peer and Family Supporting Model

by Mahdalena Mahdalena

Submission date: 26-Apr-2023 01:55PM (UTC+0700)

Submission ID: 2075917275

File name: Prosiding_ICoNPHS_Mahdalena.docx (87.96K)

Word count: 2798

Character count: 15202

**Improving the Quality of Life of PLWHA through the Combined Peer and
Family Supporting Model**

Mahdalena^{1(CA)}, Mahpolah²
^{1(CA), 2}Poltekkes Kemenkes Banjarmasin
Email :lenaf4dl1@gmail.com

ABSTRACT

People living with HIV / AIDS (PLWHA) have been facing several problems such as the physiological problems as well as the stigma and discrimination that can increase their psychological burden. This study aimed to analyze the combined supporting model on the quality of life of PLWHA in RSUD dr. H. Ansari Saleh Banjarmasin. This study was an observational study, by observing the quality of life of PLWHA who are assisted in the VCT Poly Hospital of dr. H. Ansari Saleh Banjarmasin. The sample of this study were PLWHA who were registered at dr. H. Ansari Saleh Banjarmasin. This study used purposive technique with inclusion criteria, PLWHA who was first diagnosed as HIV positive by a physician, adult, can read and write and willing to be a respondent. Exclusion criteria for PLWHA aged < 19 years. The results showed that peer and family supporting model by peer and family were significant that affected the quality of life of PLWHA so if the two models are combined, it can be used to assist PLWHA.

Keywords: . PLWHA, support system, quality of life

INTRODUCTION

People living with HIV / AIDS (PLWHA) have been facing several problems such as the physiological problems as well as the stigma and discrimination that can increase their psychological burden. These problems have an impact on decreasing the quality of life. Fayer and Machin (2007) suggested that quality of life is a person's view or feelings about their functional abilities due to disease. Quality of life is closely related to physical health, psychological conditions, level of independence, social relationships and individual relationships with their environment (WHO 2007).

People living with HIV/AIDS susceptible to be infected by other diseases due to decrease on the immune system. They also get tired quickly, fever, lose weight drastically and bed rest. They also have difficulty in daily activities. This condition declines in their quality of life, so interventions are needed to support their quality of life.

Nasronudin (2006) revealed that one of the factors that has an important role to increase the quality of life of people living with HIV/AIDS was social support. This study is in line with study from Wolcott (2005) in Pequegnat & Belt (2011). The role of the family in caring for people living with HIV/AIDS can help daily needs, both morally, and materially.

The number of HIV/AIDS cases in Indonesia have been increasingly . It reached peak in 2019, which was 50,262 cases (Directorate General of P2P Ministry of Health RI 2019). The 2019 HIV, AIDS and STI Information System (SIHA) reported that the number of cases of HIV and AIDS in men is higher than women. In 2019, 64.50% of HIV cases were male, while 68.60% of AIDS cases were male.

South Kalimantan, although not included in the five provinces with the highest number of HIV cases, however, there were always new HIV cases 4 new cases in 2018, 5 new cases in 2019. And in 2019, 462 HIV cases were recorded. The majority of the population in South Kalimantan is Muslim, religious and

very fanatical. However, stigma and discrimination are still experienced by PLWHA. They think that HIV/AIDS is a disease caused by sexual behavior that not obey the religious rules. (South Kalimantan Health Office, South Kalimantan KPA, 2016).

Several previous studies have emphasized efforts to reduce HIV/AIDS cases and how to respond to HIV/AIDS healing, such as the research conducted by Suhardiana Rahmawati (2013) on the quality of life of people with HIV/AIDS who are taking antiretroviral therapy. In this study, it was found that PLWHA did not develop their social life, spiritual life and did not receive social support from both their family and the people around them, due to stigma and discrimination. Mahdalena's 2015 research found that family support had no effect on adherence to treatment for PLWHA, because there were still many PLWHA who had not told their family about their illness, so the family did not provide support to regularly follow the treatment program.

Hayyinatun's research, Balqis (2018) states that there were various roles performed by the peer group support in stage of intervention for PLWHA, especially in the social dimension. Kale's research (2019) showed the results that the implementation of the role of the facilitator for PLWHA had an effect on the quality of life of PLWHA by starting to improve physical aspects, psychological aspects, the level of independence, aspects of social relations, environmental aspects, and spiritual aspects.

PLWHA must undergo regular treatment including taking ARV regularly for the rest of their lives. The length of time for treatment throughout the life of PLWHA is become a problem because PLWHA feels bored, so PLWHA needs support. The support can be provided by peers, family or VCT officers at a hospital or clinic. Based on the explanation above, the study aimed to analyze the combined supporting model on the quality of life of PLWHA in RSUD dr. H. Ansari Saleh Banjarmasin.

METHODS

This study was an observational study, by observing the quality of life of PLWHA who are assisted in the VCT Poly Hospital of dr. H. Ansari Saleh Banjarmasin. The variable of Quality of Life was the patient's perception of their life experience related to the illness and its treatment which describes the subjective assessment of HIV AIDS sufferers based on things they believe in, such as expectations, values and beliefs.

The sample of this study were PLWHA who were registered at dr. H. Ansari Saleh Banjarmasin. This study used purposive technique with inclusion criteria, PLWHA who was 5th diagnosed as HIV positive by a physician at RSUD dr. H. Ansari Saleh Banjarmasin, adult, can read and write and willing to be a respondent. Exclusion criteria for PLWHA aged < 19 years.

The PLWHA Mentoring Variable was measured by observation. The dependent variable of the quality of life study was measured by the quality of life instrument adopted from the World Health Organization (2002), WHOQOL-BREF. Descriptive analysis was carried out to determine the model of mentoring PLWHA. After that, analysis of the model used *Partial Least Square* (PLS) to determine the fit model that affects the quality of life of PLWHA.

This research was already granted ethical approval from the Poitekkes Ethics Commission of the Ministry of Health Banjarmasin.

RESULTS

The results of the study obtained assistance for PLWHA in RSUD dr.H. Ansari Saleh Banjarmasin showed that most of the respondents wanted to be accompanied: 96 respondents (96%). They wanted to accompany in their treatment program by 37 officers (38.50%), 19 fellow patients (19.79%) and husband/wife 18 people (18.75%).

**THE 4th INTERNATIONAL CONFERENCE ON HEALTH
POLYTECHNICS OF SURABAYA (ICOHPS)
1st International Conference of Nursing and Public Health Science (ICoNPHS)**




Figure 1. Structural Equation Modeling

Description:
 X_1 = Gender
 X_2 = Minimum
 X_3 = experience
 X_4 = Education

ξ_1 = Mentoring Peer
 ξ_2 = Mentoring Family
 η = Quality of Life
 Y_1 = Physical

X5 = Knowledge
X6 = Attitude

Y2 = Psychological
Y3 = Social
Y4 = Environmental

Table 1. Composite Reliability

Variable	Composite Reliability
Peer support	0.929
Families support	0.883
Quality of Life	0.919

Table 2. Analisis inner weight

Variables	Estimation original sample	Mean subsample	Standard Deviation	T statistics
Peer support > Families support	0.215	0.222	0.165	1.303
Peer support > Quality of Life	0.167	0.187	0.136	1.223
Family support > Quality of Life	0.202	0.241	0.172	1.175

DISCUSSION

Based on the research model showed that supporting by peer and family were significant that affected the quality of life of PLWHA so if the two models are combined, it can be used to assist PLWHA. The model also showed that peer support was better than family support because peers have the same experience as PLWHA in terms of their illness.

Supporting can be viewed from the aspects of interpersonal communication consist of caring for others, being friends, comfort, motivate, and help others. Previous study mentioned that one of the things that can build interpersonal communication was interpersonal perception (2011:88). According to Rakhmat, interpersonal perception was the experiences about relationships and distinguish that humans are objects of perception (2011:88). The facilitator have to communicate that cause a reaction. According to Rakhmat, a supportive attitude is an attitude that reduces defensiveness in communication (2011:132). In this situation the support from a peer approach can reduce defensive attitudes, such as anxiety and confusion. This is the

**THE 4th INTERNATIONAL CONFERENCE ON HEALTH
POLYTECHNICS OF SURABAYA (ICOHPS)
1st International Conference of Nursing and Public Health Science (ICoNPHS)**

motive to take care each others. Because the facilitator provides information and solutions to the situation faced by HIV patients.

According to Freud, empathy was considered as understanding other people who have no emotional meaning for us (in Grace, 2011: 130). The ability to empathize is a supportive aspect for continuing of the supporting process. For this reason, the facilitator tries to make HIV patients accept their condition by showing active actions by giving attention. Through educational sharing that prioritizes comfort and being a good listener.

According to Rakhmat, a positive attitude in interpersonal communication refers to at least two aspects, namely: interpersonal communication. It will develop a positive feelings towards others and various communication situations (2011: 133). The support systems try to set a good example regarding the proper lifestyle for PLWHA. Pay attention to positive words or language when communicating with HIV patients. Without punishing or giving a stigma to the patient's condition. In addition, the conversation that is built is having a motive to help HIV patients by not discriminating the conditions of HIV patients so that the information provided can be right on target. Equality does not require us to accept and agree to all verbal and nonverbal behavior. Equality means we accept the other party, interpersonal communication will be more effective if the atmosphere is equal (Devito, 2011: 290-291). Thus, it can be understood that this is a motive to help others that is owned by the companions.

The communication process carried out by companions in a peer approach to HIV/AIDS patients is carried out in stages which is by paying attention to the situation and condition of the HIV patient. The importance of building gradual communication was to build closeness, foster trust, gain experience, and learn. Schutz concluded that: "Social action is action that is oriented to the behavior of others or in the past, present and future. Looking forward into the future is essential to the concept of action. Action is behavior that is directed to realize a predetermined future goal (determinate)" (in Kuswano, 2009: 18). This understanding explains that social action in this case is a communication process based on past conditions and the background experience of the mentor and the HIV patient being mentored. Then oriented to the patient's behavior in the present and in the future. These mentoring actions are directed at realizing the goals in the future that have been set, namely to help others and solve problems for individuals who are directly affected by HIV/AIDS.

Construction of the Meaning was goal or way of life among PLWHA to live together and decrease the suffer from HIV/AIDS. According to Wendell Johnson, meaning related to the emotional dimension (in Sobur, 2003:258). This is in accordance with the meaning of the words given by the support system. In accordance with the opinion of Wendell Johnson, that meaning is in humans (in Sobur, 2003:258). Thus, the support system can interpret their role as a supporter. In addition, as a companion who regularly interacts and communicates intensely with HIV patients, it is possible to understand the difficulties of life experienced by HIV patients who are being accompanied by him. However, the meaning that can be communicated is only partially, in accordance with the explanation conveyed by Wendell Johnson, namely: the meaning we get from an event is multifaceted and very complex, but only part of these meanings are truly meaningful (in Sobur, 2003:258).

Family support in carrying out the treatment program was very meaningful for PLWHA because with the family accompanying means the family has provided support. Understanding the importance of family support for people living with HIV/AIDS are expected to be able to participate in providing support according to the needs of the sufferer. By providing meaningful support, people living with HIV/AIDS will enjoy their days in peace and tranquility which in turn will provide many benefits for all other family members (Reinius, 2018).

Each companion must have patience and a high sense of empathy so it can motivate the spirit of PLWHA to continue their life. Companions with a family approach have understood to be able to reduce defensive attitudes in communication from both parties. This has been demonstrated by trying to understand that HIV patients experience anxiety and confusion in their behavior. This is the motive that the companion has to care for others. For this reason, mentors provide information and solutions to situations faced by HIV patients because they really need an environment that can support them, and can provide space for them to be able to communicate, express problems and other things in life like people without HIV.

CONCLUSION

Mentoring model the combination of peer and family was very effective in improving the quality of life of PLWHA in RSUD dr. H. Ansari Saleh Banjarmasin.
Assistance was needed by PLWHA, therefore PLWHA must be accompanied, from officers, peers, and family, in order to motivate PLWHA to improve their quality of life.

REFERENCES

1. Diatmi, Komang dan Fridari, Diah.I.G.A. 2013. *Hubungan antara Dukungan Sosial dengan Kualitas Hidup pada Orang dengan HIV dan AIDS di Yayasan Spirit Paramacita*, Jurnal Psikologi Udayana 2014. Vol 1. No.2. 353-262
2. Gayle, H.D. and G.L. Hill. *Global impact of human immunodeficiency virus and AIDS*. Clinical Epidemiology Reviews. 2015. 14 (2): 327-335.
3. Hayyinatun, Belgis. Nufus, et all. *Peran Pendamping Dalam Intervensi Pada Orang Dengan HIV/AIDS (ODHA)*. Jurnal Ilmu Kesejahteraan Sosial, Jilid 19, Nomor 2, Oktober 2018, 132-144
4. Kale, Chintya G, et all. 2019 Peran Pendampingan Warga Peduli AIDS terhadap Kualitas Hidup Orang Dengan HIV-AIDS di Kecamatan Alak Kota Kupang Journal of Community Health e-ISSN 2685-2438 Volume 01 Nomor 03, September 2019
5. Kemenkes, (2019), Dir Jen PPM&PL Dinas Kesehatan, Jakarta
6. Kuntoro, 2011, *Analisis Multivariate*, Pustaka Melati, Surabaya
7. -----, 2011, *Metode Penelitian*, Pustaka Melati, Surabaya
8. Mahdalena, 2015. *Dukungan Keluarga Terhadap Kepatuhan Berobat Penderita HIV/AIDS di RSUD dr. H.Moch Ansari Saleh Banjarmasin*
9. Marubenny, sandy dkk. 2012, *IPerbedaan Respon Sosial Penderita HIV AIDS yang Mendapat Dukungan Keluarga dan Tidak mendapat Dukungan Keluarga di Balai Kesehatan Paru Masyarakat Semarang*, Jurnal Keperawatan Komunitas, Vol 1 no.1 2013 ; 43-51
10. Nasronudin.(2012), *HIV & AIDS, Pendekatan Biologi Molekuler, Klinis dan Sosial*.Airlangga University Press : Surabaya .
11. Potter & Perry. 2010. *Fundamental of Nursing* , Terjemahan oleh Dr. Adriana Ferderika Nggie & Dr. Maiza Albar. 2010 Jakarta : Salemba medika
12. Rahmawati, Suhardiana, 2013, *Kualitas Hidup Orang Dengan HIV AIDS yang Mengikuti Terapi Antiretroviral*, Jurnal Sains dan Praktik Psikologi, Vol. 1 No. 1, 48-62
13. Rahmawati, Maidina. 2019, *Penanggulangan HIV/AIDS di Indonesia dalam Ancaman RKUHP: Proyeksi Dampak Kriminalisasi Perilaku Beresiko Transmisi HIV/AIDS dalam RKUHP terhadap Penanggulangan HIV/AIDS di Indonesia*, Institute for Criminal Justice Reform (ICJR)
14. Rakhmat, Jalaludin. 2011. *Psikologi Komunikasi* . Bandung : PT Remaja Rosdakarya
15. Reinius, Maria. 2018. *The Relationship Between Stigma and Health-Related Quality of Life in People Living with HIV Who Have Full Access to Antiretroviral Treatment: An Assessment of Earnshaw and Auditor's HIV Stigma Framework Using Empirical Data*, AIDS and Behavior Journal. <https://link.springer.com/article/10.1007/s10461-018-2041-5#Abs2>
16. Sarafino, E. P. (2006). *Health Psychology : Biopsychosocial Interactions. Fifth Edition*. USA: John Wiley & Sons.
17. Sobur, Alex. 2003. *Semiotika Komunikasi* . Bandung : PT Remaja Rosdakarya
19. Yoga, Tateki Tursilarini, 2019, *Pendampingan Pekerja Sosial Dalam Rehabilitasi Sosial Orang Dengan HIV AIDS (ODHA) In Social Working Assistancessocial Rehabilitation Of People Living With HIV AIDS (PLWHA)*, Jurnal Penelitian Kesejahteraan Sosial Vol 18 no 2

THE 4th INTERNATIONAL CONFERENCE ON HEALTH POLYTECHNICS OF
SURABAYA (ICOHPS)
1st International Conference of Nursing and Public Health Science (ICoNPHS)

Improving the Quality of Life of PLWHA through the Combined Peer and Family Supporting Model

ORIGINALITY REPORT

19%

SIMILARITY INDEX

14%

INTERNET SOURCES

11%

PUBLICATIONS

8%

STUDENT PAPERS

PRIMARY SOURCES

1	www.tandfonline.com Internet Source	2%
2	Submitted to Universitas Muhammadiyah Yogyakarta Student Paper	1%
3	Edi Purwanto, Mayang Sari, Aini Alifatin, Risa Herlianita. "Social Support and Quality of Life Patients with Acquired Immune Deficiency Syndrome", KnE Medicine, 2023 Publication	1%
4	ejournal.kemensos.go.id Internet Source	1%
5	dirdosen.budiluhur.ac.id Internet Source	1%
6	www.termedia.pl Internet Source	1%
7	www.neliti.com Internet Source	1%

8	Ika Mardiatul Ulfa, Dewi Pusparani Sinambela. "Hubungan Pre Eklamsia Berat Pada Ibu Bersalin Dengan Asfiksia Neonatorum Di RSUD Dr. H. Moch Ansari Saleh Banjarmasin", DINAMIKA KESEHATAN JURNAL KEBIDANAN DAN KEPERAWATAN, 2020	1 %
Publication		
9	repository.unmuhjember.ac.id	1 %
Internet Source		
10	kebijakanidsindonesia.net	1 %
Internet Source		
11	Khairunniza Khairunniza, Nazarwin Saputra. "Faktor-faktor yang Mempengaruhi Kualitas Hidup ODHA Terpapar Program OBRASS di Yayasan Pelita Ilmu Tahun 2020", Jurnal Ilmu Kesehatan Masyarakat, 2020	1 %
Publication		
12	jurnal.unmuhjember.ac.id	1 %
Internet Source		
13	Azwin Mengindra Putera, . Irwanto, Margarita Maria Maramis. "	<1 %
Quality-of-Life (QoL) of Indonesian Children Living with HIV: The Role of Caregiver Stigma, Burden of Care, and Coping		

", HIV/AIDS - Research and Palliative Care, 2020

Publication

14 journal.walisongo.ac.id <1 %
Internet Source

15 jurnal.htp.ac.id <1 %
Internet Source

16 repo.stikesicme-jbg.ac.id <1 %
Internet Source

17 www.ncbi.nlm.nih.gov <1 %
Internet Source

18 Dibyo Prasoj. "Peran Reliugisitas pada Penderita HIV dan AIDS yang mengalami Depresi", Jurnal Studia Insania, 2017
Publication

19 Aulia Rahman, Wahyu Kirana, Rara Anggraini. "Hubungan Dukungan Keluarga Dengan Tingkat Kecemasan Menghadapi Kematian Pasien HIV/AIDS Di RSUD DR. Abdul Aziz Singkawang", Khatulistiwa Nursing Journal, 2021
Publication

20 Submitted to TMC Education Group <1 %
Student Paper

21 download.garuda.kemdikbud.go.id <1 %
Internet Source

22	repository.iainpurwokerto.ac.id Internet Source	<1 %
23	www.heartlandalliance.org Internet Source	<1 %
24	Riski Ari Fitriyani, Agung Waluyo. "Family acceptance, peer support, and HIV serostatus disclosure of MSM-PLWHA in Medan, Indonesia", Enfermería Clínica, 2019 Publication	<1 %
25	ejurnal.methodist.ac.id Internet Source	<1 %
26	jurnalkesos.ui.ac.id Internet Source	<1 %
27	www.scribd.com Internet Source	<1 %
28	Dewi Kurnia Putri, Hema Malini, Basmanelly Basmanelly. "Living with HIV/AIDS: Stigma and Social Discrimination", Jurnal The Messenger, 2019 Publication	<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off